ELSEVIER

International Journal of Mass Spectrometry 235 (2004) 281

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 235

Achiba, Y., 43
Adams, N.G., 199
Agata, N., 123
Akiyama, Y., 25
Anczkiewicz, R., 59
Andersen, L.H., 7
Angelova, G., 7
Aubreton, J., 179
Aydin, M., 91

Babcock, L.M., 199
Bluhme, H., 7

Castaño, F., 223
Chen, J., 117
Chiavarino, B., 145
Choe, J.C., 15
Crestoni, M.E., 145

DeJoseph Jr., C.A., 83
Doornik, C.V., 243
Duursma, M., 243

Eberlin, M.N., 263

Fornarini, S., 145
Franz, T., 123
Fukui, K., 25

Garscadden, A., 83
Gibbs, L.L., 199
Gong, Q., 117
Grüning, C., 171

Heeren, R.M.A., 243
Huber, G., 171

Isobe, M., 123

Jauberteau, I., 179
Jauberteau, J.L., 179
Jiao, C.Q., 83

Kajii, Y., 103
Kanazawa, N., 97
Kaneko, T., 103
Kato, S., 103
Klopp, P., 171
Kobayashi, K., 229
Kobayashi, N., 43
Konijnenburg, M., 243
Kratz, J.V., 171
Kunz, P., 171
Kuse, M., 123

Le Garrec, J.L., 7
Li, R., 111
Li, S., 187
Li, X., 117
Lindner, W., 213
Lombardi, J.R., 91

Ma, R., 117
Mach, P., 155
Märk, T.D., 155
Martínez, R., 223
Matejčík, S., 155
McLain, J.L., 199
Metz, R.B., 131
Mitchell, J.B.A., 7
Miyabayashi, K., 49
Miyakawa, Y., 103
Miyake, M., 49
Miyata, Y., 97
Mize, T.H., 243
Molek, C.D., 199

Naito, Y., 25, 49
Nakagawa, S., 1
Nomura, M., 43
Novotny, O., 7

Ohta, M., 123
Okouchi, S., 229

Passler, G., 171
Pitchayawasin, S., 123
Potapov, A.I., 163

Rebrion-Rowe, C., 7
Redondo, C., 223
Ren, H., 117
Rooij, G.V., 243
Russe, K., 255

Schalley, C.A., 197
Schröder, D., 33
Schug, K., 213
Schwarz, H., 33
Seynen, M., 243
Sha, Y., 111
Shida, Y., 229
Shiromaru, H., 43
Sierra, B., 223
Skalný, J.D., 155
Stano, M., 155
Sun, A., 187
Suzuki, K., 97
Svendsen, A., 7

Taban, I., 243
Takahashi, K., 25
Taniguchi, O., 229
Taylor, P.D.P., 255
Thirlwall, M.F., 59
Trautmann, N., 171
Tsierkezos, N.G., 33
Tsuchiya, M., 229
Tsujimoto, K., 49

Uggerud, E., 279
Urban, J., 155

Valkiers, S., 255
Vašeková, E., 155
Veshapidze, G., 43
Vidal, C.R., 207
Vijftigschild, A., 243
Vorontsov, A.V., 163

Waldek, A., 171
Wang, P., 207
Wang, X., 111
Wei, H., 187
Wendt, K., 171

Xiao, Y., 187

Yang, H., 117

Zhang, C., 187

doi:10.1016/S1387-3806(04)00273-8

ELSEVIER

International Journal of Mass Spectrometry 235 (2004) 283–286

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 235

Absolute isotope amount ratio
Synthetic isotope mixtures for the calibration of isotope amount ratio measurements of carbon, 255
Acetonitrile ion
Isomerization and dissociation of the acetonitrile molecular cation 15
Adduct ion
Development of a screening technique for noncovalent complex formation between guanidinium- and phosphonate-functionalized amino acids by electrospray ionization ion trap mass spectrometry: assessing ionization and functional group interaction, 213
Appearance energies
Electron impact ionization of C_2H_6: ionization energies and temperature effects, 155
Arginine
Development of a screening technique for noncovalent complex formation between guanidinium- and phosphonate-functionalized amino acids by electrospray ionization ion trap mass spectrometry: assessing ionization and functional group interaction, 213
Argon cluster
Argon clusters produced in a nozzle beam at low pressure: Ar_2 ionisation cross-section measurement, 179
Argon dimer
Argon clusters produced in a nozzle beam at low pressure: Ar_2 ionisation cross-section measurement, 179

Boron isotopes
Effective elimination of isobaric ions interference and precise thermal ionization mass spectrometer analysis for boron isotope, 187
Branching ratio
The branching ratio of anions in thermal electron attachment to chlorinated fluorobenzenes, 1
Branching ratios for the dissociative recombination of hydrocarbon ions. III: the cases of $C_3H_n^+$ ($n = 1$–8), 7

Carbon isotopes
Synthetic isotope mixtures for the calibration of isotope amount ratio measurements of carbon, 255
Carbon tetrafluoride
Synthetic isotope mixtures for the calibration of isotope amount ratio measurements of carbon, 255
Cations
Cation–π interactions in gaseous ω-phenylalkyloxonium ions, 145
Cereulide
Molecular diversity of cereulide detected by means of nano-HPLC-ESI-Q-TOF-MS, 123
Chlorinated fluorobenzenes
The branching ratio of anions in thermal electron attachment to chlorinated fluorobenzenes, 1
Chlorofluoromethanes dissociative ionisation
Electron-impact ionisation cross-sections of the $CClF_3$ and CCl_3F molecules, 223
CID
Investigation of fragmentation pattern of bis(trimethylsilyl) ester of 3-mercaptopropionic acid, 163
Cluster
Argon clusters produced in a nozzle beam at low pressure: Ar_2 ionisation cross-section measurement, 179
Clusters at liquid surface
Cluster composition distribution at the liquid surface of alcohol–water mixtures and evaporation processes studied by liquid ionization mass spectrometry, 229
COFCl
Electron impact dissociative ionization of carbonyl chlorofluoride, 207
Collision-induced dissociation
Complexation of nickel(II) by ethylenediamine investigated by means of electrospray ionization mass spectrometry, 33
Complex mixture analysis
Structure characterization of polyaromatic hydrocarbons in Arabian mix vacuum residue by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry, 49
Covariance mapping
Electron impact dissociative ionization of carbonyl chlorofluoride, 207
Cycloaddition reactions
Gas-phase polar cycloadditions, 263

Derivatization
Investigation of fragmentation pattern of bis(trimethylsilyl) ester of 3-mercaptopropionic acid, 163
DFT calculation
Isomerization and dissociation of the acetonitrile molecular cation, 15
Dication
Optical spectroscopy and photodissociation dynamics of multiply charged ions, 131
Diethylzinc
Ion chemistry in diethylzinc, 83
Difluorobenzene
Structure-sensitive dissociation scheme for three isomers of difluorobenzene, 43
Dispirocyclopiperazinium dibromides
Fragmentation patterns of novel dispirocyclopiperazinium dibromides with strong analgesic activity under electrospray ionization tandem mass spectrometry conditions, 111
Dissociative charge transfer
Experimental values of rate constants and ion product distributions for reactions of a series of ions with CS_2, 199
Dissociative ionisation
Electron-impact ionisation cross-sections of the $CClF_3$ and CCl_3F molecules, 223
Dissociative ionisation partial cross-sections
Electron-impact ionisation cross-sections of the $CClF_3$ and CCl_3F molecules, 223
Dissociative recombination
Branching ratios for the dissociative recombination of hydrocarbon ions. III: the cases of $C_3H_n^+$ ($n = 1$–8), 7

Electron affinity
The branching ratio of anions in thermal electron attachment to chlorinated fluorobenzenes, 1
Electron collision
Ion chemistry in diethylzinc, 83

doi:10.1016/S1387-3806(04)00274-X

Electron impact ionisation
Electron impact ionization of C_2H_6: ionization energies and temperature effects, 155
Electron impact dissociative ionization of carbonyl chlorofluoride, 207
Electron-impact ionisation cross-sections of the $CClF_3$ and CCl_3F molecules, 223
Electrospray
Structure characterization of polyaromatic hydrocarbons in Arabian mix vacuum residue by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry, 49
Optical spectroscopy and photodissociation dynamics of multiply charged ions, 131
Development of a screening technique for noncovalent complex formation between guanidinium- and phosphonate-functionalized amino acids by electrospray ionization ion trap mass spectrometry: assessing ionization and functional group interaction, 213
Electrospray ionization
Complexation of nickel(II) by ethylenediamine investigated by means of electrospray ionization mass spectrometry, 38
Ethane (C_2H_6)
Electron impact ionization of C_2H_6: ionization energies and temperature effects, 155
Ethanol–water clusters
Cluster composition distribution at the liquid surface of alcohol–water mixtures and evaporation processes studied by liquid ionization mass spectrometry, 229
Ethylenediamine
Complexation of nickel(II) by ethylenediamine investigated by means of electrospray ionization mass spectrometry, 33
Evaporation processes
Cluster composition distribution at the liquid surface of alcohol–water mixtures and evaporation processes studied by liquid ionization mass spectrometry, 229
Excitation
A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243
Expansion jet
Argon clusters produced in a nozzle beam at low pressure: Ar_2 ionisation cross-section measurement, 179

Femtosecond
Multielectron dissociative ionization of SF_6 in an intense femtosecond laser field, 117
Fragmentation
Charge-state selective fragmentation analysis for protonated peptides in infrared multiphoton dissociation, 25
Fragmentation pathway
Fragmentation patterns of novel dispirocyclopiperazinium dibromides with strong analgesic activity under electrospray ionization tandem mass spectrometry conditions, 111
Electron impact dissociative ionization of carbonyl chlorofluoride, 207
FT-ICR
Structure characterization of polyaromatic hydrocarbons in Arabian mix vacuum residue by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry, 49
FTICR MS
Charge-state selective fragmentation analysis for protonated peptides in infrared multiphoton dissociation, 25
FTMS
A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243

Gas mass spectrometry
Synthetic isotope mixtures for the calibration of isotope amount ratio measurements of carbon, 255
Gas-phase reactions
Cation–π interactions in gaseous ω-phenylalkyloxonium ions, 145
Graphical user interface
A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243

H/D exchange processes
Cation–π interactions in gaseous ω-phenylalkyloxonium ions, 145
Hf
Multidynamic isotope ratio analysis using MC–ICP–MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59
High precision
Precise Re isotope ratio measurements by negative thermal ionization mass spectrometry (NTI-MS) using total evaporation technique, 97
High sensitivity
Precise Re isotope ratio measurements by negative thermal ionization mass spectrometry (NTI-MS) using total evaporation technique, 97
Homolog
Molecular diversity of cereulide detected by means of nano-HPLC-ESI-Q-TOF-MS, 123
HPLC-ESI-Q-TOF-MS
Molecular diversity of cereulide detected by means of nano-HPLC-ESI-Q-TOF-MS, 123
Hydrocarbon
Urban air measurements using PTR-MS in Tokyo area and comparison with GC-FID measurements, 103
Hydrocarbon detection
Structure characterization of polyaromatic hydrocarbons in Arabian mix vacuum residue by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry, 49
Hydrocarbon ions
Branching ratios for the dissociative recombination of hydrocarbon ions. III: the cases of $C_3H_n^+$ ($n = 1$–8), 7

Ion cyclotron resonance
A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243
Ion isolation
A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243
Ionisation cross-section
Ion chemistry in diethylzinc, 83
Argon clusters produced in a nozzle beam at low pressure: Ar_2 ionisation cross-section measurement, 179
Ionization depressor
Effective elimination of isobaric ions interference and precise thermal ionization mass spectrometer analysis for boron isotope, 187
Ionization energy
Electron impact ionization of C_2H_6: ionization energies and temperature effects, 155
Ion–molecule reaction
Ion chemistry in diethylzinc, 83
Experimental values of rate constants and ion product distributions for reactions of a series of ions with CS_2, 199
IRMPD
Charge-state selective fragmentation analysis for protonated peptides in infrared multiphoton dissociation, 25
Isobaric ions interference
Effective elimination of isobaric ions interference and precise thermal ionization mass spectrometer analysis for boron isotope, 187
Isomerization
Isomerization and dissociation of the acetonitrile molecular cation, 15
Isomers
Branching ratios for the dissociative recombination of hydrocarbon ions. III: the cases of $C_3H_n^+$ ($n = 1$–8), 7

Structure-sensitive dissociation scheme for three isomers of difluorobenzene, 43
Isotopic reference material
Synthetic isotope mixtures for the calibration of isotope amount ratio measurements of carbon, 255

Laser vaporization
Multiphoton fragmentation spectra of zirconium and niobium cluster cations, 91
Liquid ionization mass spectrometry
Cluster composition distribution at the liquid surface of alcohol–water mixtures and evaporation processes studied by liquid ionization mass spectrometry, 229

Mass bias
Multidynamic isotope ratio analysis using MC–ICP–MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59
Mass spectrometry
Complexation of nickel(II) by ethylenediamine investigated by means of electrospray ionization mass spectrometry, 33
Fragmentation patterns of novel dispirocyclopiperazinium dibromides with strong analgesic activity under electrospray ionization tandem mass spectrometry conditions, 111
Gas-phase polar cycloadditions, 263
MC–ICP–MS
Multidynamic isotope ratio analysis using MC–ICP–MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59
MEDI
Multielectron dissociative ionization of SF_6 in an intense femtosecond laser field, 117
Methanol–water clusters
Cluster composition distribution at the liquid surface of alcohol–water mixtures and evaporation processes studied by liquid ionization mass spectrometry, 229
Modular data station
A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243
Multidynamic
Multidynamic isotope ratio analysis using MC–ICP–MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59
Multiphoton fragmentation
Multiphoton fragmentation spectra of zirconium and niobium cluster cations, 91
Multiply ionized molecule
Electron impact dissociative ionization of carbonyl chlorofluoride, 207

Nd
Multidynamic isotope ratio analysis using MC–ICP–MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59
Negative chemical ionization
The branching ratio of anions in thermal electron attachment to chlorinated fluorobenzenes, 1
Negative thermal ionization mass spectrometry
Precise Re isotope ratio measurements by negative thermal ionization mass spectrometry (NTI-MS) using total evaporation technique, 97
Nickel
Complexation of nickel(II) by ethylenediamine investigated by means of electrospray ionization mass spectrometry, 33
Niobium
Multiphoton fragmentation spectra of zirconium and niobium cluster cations, 91
Noncovalent complex
Development of a screening technique for noncovalent complex formation between guanidinium- and phosphonate-functionalized amino acids by electrospray ionization ion trap mass spectrometry: assessing ionization and functional group interaction, 213
Non-covalent interactions
Cation–π interactions in gaseous ω-phenylalkyloxonium ions, 145
Non-dissociative charge transfer
Experimental values of rate constants and ion product distributions for reactions of a series of ions with CS_2, 199
Nozzle beam
Argon clusters produced in a nozzle beam at low pressure: Ar_2 ionisation cross-section measurement, 179

Oxygenated volatile organic carbon
Urban air measurements using PTR-MS in Tokyo area and comparison with GC-FID measurements, 103

Peptide
Charge-state selective fragmentation analysis for protonated peptides in infrared multiphoton dissociation, 25
Pericyclic reactions
Gas-phase polar cycloadditions, 263
Phosphonic acid
Development of a screening technique for noncovalent complex formation between guanidinium- and phosphonate-functionalized amino acids by electrospray ionization ion trap mass spectrometry: assessing ionization and functional group interaction, 213
Photo chemical reaction
Urban air measurements using PTR-MS in Tokyo area and comparison with GC-FID measurements, 103
Photodissociation
Optical spectroscopy and photodissociation dynamics of multiply charged ions, 131
Plutonium
Resonance ionization mass spectrometry for ultratrace analysis of plutonium with a new solid state laser system, 171
Position-sensitive
Structure-sensitive dissociation scheme for three isomers of difluorobenzene, 43
Product distribution
Experimental values of rate constants and ion product distributions for reactions of a series of ions with CS_2, 199

Rate constant
Experimental values of rate constants and ion product distributions for reactions of a series of ions with CS_2, 199
Re isotope ratio
Precise Re isotope ratio measurements by negative thermal ionization mass spectrometry (NTI-MS) using total evaporation technique, 97
Reaction mechanisms
Cation–π interactions in gaseous ω-phenylalkyloxonium ions, 145
Gas-phase polar cycloadditions, 263
Rearrangement
Investigation of fragmentation pattern of bis(trimethylsilyl) ester of 3-mercaptopropionic acid, 163
Resonance ionization mass spectrometry
Resonance ionization mass spectrometry for ultratrace analysis of plutonium with a new solid state laser system, 171

SF_6
Multielectron dissociative ionization of SF_6 in an intense femtosecond laser field, 117
Spectroscopy
Optical spectroscopy and photodissociation dynamics of multiply charged ions, 131
Stored waveform inverse fourier transform
A modular data and control system to improve sensitivity, selectivity, speed of analysis, ease of use, and transient duration in an external source FTICR-MS, 243
Structure selective gas-phase ion/molecule reactions
Gas-phase polar cycloadditions, 263

Synthetic isotope mixture
Synthetic isotope mixtures for the calibration of isotope amount ratio measurements of carbon, 255

Tandem mass spectrometry
Investigation of fragmentation pattern of bis(trimethylsilyl) ester of 3-mercaptopropionic acid, 163
Temperature dependence
The branching ratio of anions in thermal electron attachment to chlorinated fluorobenzenes, 1
Thermal ionization mass spectrometer
Effective elimination of isobaric ions interference and precise thermal ionization mass spectrometer analysis for boron isotope, 187
Time-of-flight
Structure-sensitive dissociation scheme for three isomers of difluorobenzene, 43
Multielectron dissociative ionization of SF_6 in an intense femtosecond laser field, 117
Time-of-flight mass spectroscopy
Multiphoton fragmentation spectra of zirconium and niobium cluster cations, 91
TIMS
Multidynamic isotope ratio analysis using MC–ICP–MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59
Titanium–sapphire laser
Resonance ionization mass spectrometry for ultratrace analysis of plutonium with a new solid state laser system, 171
TMS derivatives
Investigation of fragmentation pattern of bis(trimethylsilyl) ester of 3-mercaptopropionic acid, 163

Total evaporation
Precise Re isotope ratio measurements by negative thermal ionization mass spectrometry (NTI-MS) using total evaporation technique 97

Ultratrace detection
Resonance ionization mass spectrometry for ultratrace analysis of plutonium with a new solid state laser system, 171
Unimolecular dissociation
Isomerization and dissociation of the acetonitrile molecular cation 15
Urban pollution
Urban air measurements using PTR-MS in Tokyo area and comparison with GC-FID measurements, 103

Vacuum residue
Structure characterization of polyaromatic hydrocarbons in Arabian mix vacuum residue by electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry, 49
Valinomycin
Molecular diversity of cereulide detected by means of nano-HPLC-ESI-Q-TOF-MS, 123

Yb
Multidynamic isotope ratio analysis using MC–ICP–MS and the causes of secular drift in Hf, Nd and Pb isotope ratios, 59

Zirconium
Multiphoton fragmentation spectra of zirconium and niobium cluster cations, 91